

One Versatile Color Solution - So Many Connections

InkZone Move Press

InkZone Move Press is a powerful software application for quality assurance on sheetfed or web offset presses. Available in two versions, InkZone Move Press Densi and InkZone Move Press Spectro, the system supports all established scanning color measurement devices. As an extension, InkZone

Loop can be added, which turns off-line color control into a closed-loop process providing fully-automated integration with almost any model of offset press.



With EasyTrax from X-Rite, InkZone Move now supports an even wider range of measuring device options.

Repeatable Quality Measurement

InkZone Move Press brings more accuracy, quality and ease-of-use to the printing process at an unbeatable price-performance ratio. The software integrates with scanning color measurement devices automatically and improves the ability of any press operator by offering precise adjustments for color control. The connected motorized drive which propels the color scanning instrument across the color bar assures repeatability, speed, consistency and reliability. Operators will have confidence in the solution, measurement after measurement.

Focus on Process Control

As each measurement is completed, InkZone Move Press displays the results in real time on the monitor. The graphical presentation is clear and easy to interpret – the control screen shows the ink key zones for each press unit along with the relevant color data including density (absolute and relative), dot gain, tone value, and colorimetry (CIELAB) along with color difference (Delta-E).

The software stores all measured data in a straightforward format (ASCII/XML) – ready for further interpretation with off-the-shelf reporting applications.

From Offline Printing to a Closed-Loop Control System

With InkZone Move Press, operators have a powerful control and decision-making system in their hands. While the basic version is an off-line solution

requiring manual ink console adjustments, with InkZone Loop, the system can be upgraded to full closed-loop operation, providing calculation of the proper corrections, and then adjustment of the ink settings automatically.

Two Versions to Pick From

InkZone Move Press is available in two versions: InkZone Move Press Densi and InkZone Move Press Spectro.

InkZone Move Press Densi provides basic density and dot values to help get control of process-color printing. The Spectro version has the additional capability of displaying CIELAB and corresponding Delta-E values, which is not only helpful for spot colors, but also to meet newer printing industry standards, such as ISO and PSO, as well as guidelines like GRACoL 7.

InkZone Move Press supports established color measurement systems for every type of installation: the economical DigiDensi from Digital Information, the SpectroDrive/SpectroJet from Techkon, the Intellitrax/EasyTrax from X-Rite, as well as X-Rite's low-cost EyeOne, which can even be automated via an optional motorized DC Track. IZ Move Press connects today's scanning instruments with nearly all offset presses.

Technical Requirements

Hardware, Operating System, User Software

- Windows 7 Professional or Ultimate
- Microsoft .Net Framework 3.x or higher
- 1 USB port for the hardware protection key (dongle)
- 1 USB port with sufficient power for the scanning device
- 1 Ethernet port for the scanning device
- 2 RS-232 series connections
- Touchscreen monitor (19" or larger) strongly recommended

Supported Scanning Devices

InkZone Move Press Densi

- SpectroDrive and SpectroJet from Techkon
- Intellitrax and EasyTrax from X-Rite

InkZone Move Press Spectro

- SpectroDrive and SpectroJet from Techkon
- Intellitrax and EasyTrax from X-Rite



The Techkon Spectrojet, driven by InkZone Move, is fast and easy to use.

Specifications for InkZone Move Press

Visualization and Verification of

- Deviations from full color density (InkZone Move Press and Spectro)
- Deviations in Delta E
- Dot gain
- Gradation

Further Functions

- Regulation according to reference values
- Regulation according to OK sheets
- Storage of each single measurement (ASCII/XML)
- Connection to InkZone Loop (Closed-loop color control and digital preset)

Measuring Wedges

- Patch size dependant on scanning device used

Measurement Specifications

- Individually defined density values
- Values for dot gain increase according to standards